RECEIVED Attorney Docket No.: .02CON382P-CIP
Application Serial No.: 10/655,698
CENTRAL FAX CENTER

JUL 3 0 2008

List of Claims:

Claim 1 (Currently Amended): A method of encoding pictures a picture (n) in a sequence of pictures (1 to n) using an encoder, said method comprising the steps of:

assigning, by said encoder, a pre-decoder buffer removal time to [[a]] said picture;

constraining, by said encoder, an initial arrival time of said picture into said pre-decoder buffer by selecting, for said picture, a number of bits, wherein [[the]] said time-equivalent of said number of bits is no greater than a difference based on said pre-decoder buffer removal time of said picture and said initial arrival time of said picture into a pre-decoder buffer;

compressing, by said encoder, said picture to generate said number of bits;

transmitting, by said encoder, said picture to said pre-decoder buffer in compliance with said initial arrival time, being no earlier than a difference between an encoder processing time of said picture and an encoder processing time of a previous picture wherein said initial arrival time of said picture into said pre-decoder buffer is in accordance with:

$$t_{ai}(n) = \max\{ t_{ai}(n-1), t_c \times \sum_{i=1}^{n} pre \ dec \ removal \ delay(n) \},$$

where $t_{ai}(n)$ is said initial arrival time of said picture into said pre-decoder buffer, $t_{ai}(n-1)$ is a final arrival time of a previous picture (n-1) into said pre-decoder buffer, t_{c} is a clock tick, and $\sum_{i=1}^{n} pre \ dec \ removal \ delay(n)$ is a sum of removal delays of said sequence of pictures (1 to

<u>n).</u>

Attorney Docket No.: 02CON382P-CIP Application Serial No.: 10/655,698

Claim 2 (Previously Presented): The method of claim 1 further comprising the steps of:

allocating a first number of bits for compressing said picture and one or more number of

bits for compressing one or more future pictures, wherein said future pictures are in said pre-

decoder buffer at said pre-decoder buffer removal time of said picture;

determining, based on said numbers of bits in said allocating step, which of said future

pictures will be in said pre-decoder buffer at said pre-decoder buffer removal time of said

picture;

changing said first number of bits for compressing said picture to allocate a final number

of bits for compressing said picture if said changing is needed to prevent pre-decoder buffer

overflow or underflow; and

compressing said picture using said final number of bits.

Claim 3 (Previously Presented): The method of claim 1 further comprising the steps of:

determining a first limit on a number of bits for compressing said picture and one or more

number of bits for compressing one or more future pictures, wherein said future pictures are in

said pre-decoder buffer at said pre-decoder buffer removal time of said picture; and

compressing said picture using a first number of bits, wherein said first number of bits

complies with said first limit.

Claim 4 (Original): The method of claim 3, wherein said first limit is an upper limit and

said first number of bits is not higher than said upper limit.

Attorney Docket No.: 02CON382P-CIP Application Serial No.: 10/655,698

Claim 5 (Original): The method of claim 3, wherein said first limit is lower limit and

said first number of bits is not lower than said lower limit.

Claim 6 (Previously Presented): The method of claim 3 further comprising the step of:

determining a second limit on a number of bits for compressing said picture;

wherein said first limit is an upper limit and said second limit is a lower limit, and

wherein said first number of bits is not higher than said upper limit and said first number of bits

is not lower than said lower limit.

Claim 7 (Original): The method of claim 2 further comprising the step of:

determining an upper limit and a lower limit on said first number of bits for compressing

said picture, wherein said first number of bits is not higher than said upper limit and said first

number of bits is not lower than said lower limit.

Claim 8 (Currently Amended): An encoder for encoding a picture (n) in a sequence of

pictures (1 to n), said encoder comprising:

a compressor configured to compress said picture to generate a number of bits;

wherein said encoder is configured to assign a pre-decoder buffer removal time to said

picture;

wherein said encoder is further configured to constrain an initial arrival time of said

picture into said pre-decoder buffer by selecting, for said picture, said number of bits, wherein

[[the]] said time-equivalent of said number of bits is no greater than a difference based on said

Page 4 of 18

pre-decoder buffer removal time of said picture and said initial arrival time of said picture into a

pre-decoder buffer;

a transmitter configured to transmit said picture to said pre-decoder buffer in compliance

with said initial arrival time being no earlier than a difference between an encoder processing

time of said picture and an encoder processing time of a previous picture, being no earlier than a

difference between an encoder processing time of said picture and an encoder processing time of

a previous picture wherein said initial arrival time of said picture into said pre-decoder buffer is

in accordance with:

$$t_{ai}(n) = \max\{ t_{ai}(n-1), t_{c} \times \sum_{i=1}^{n} pre \ dec \ removal \ delay(n) \},$$

where $t_{ni}(n)$ is said initial arrival time of said picture into said pre-decoder buffer, $t_{ni}(n-1)$

is a final arrival time of a previous picture (n-1) into said pre-decoder buffer, t_c is a clock tick,

and
$$\sum_{i=1}^{n} pre dec removal delay(n)$$
 is a sum of removal delays of said sequence of pictures (1 to

<u>n).</u>

Claim 9 (Previously Presented): The encoder of claim 8, wherein said encoder allocates

a first number of bits for compressing said picture and one or more number of bits for

compressing one or more future pictures, wherein said future pictures are in said pre-decoder

buffer at said pre-decoder buffer removal time of said picture;

wherein said encoder determines, based on said numbers of bits, which of said future

pictures will be in said pre-decoder buffer at said pre-decoder buffer removal time of said

picture;

Page 5 of 18

Ø 011/023

Attorney Docket No.: 02CON382P-CIP Application Serial No.: 10/655,698

wherein said encoder changes said first number of bits for compressing said picture to

allocate a final number of bits for compressing said picture if needed to prevent pre-decoder

buffer overflow or underflow; and

wherein said compressor compresses said picture using said final number of bits.

Claim 10 (Previously Presented): The encoder of claim 8, wherein said encoder

determines a first limit on a number of bits for compressing said picture and one or more number

of bits for compressing one or more future pictures, wherein said future pictures are in said pre-

decoder buffer at said pre-decoder buffer removal time of said picture; and

wherein said compressor compresses said picture using a first number of bits, wherein

said first number of bits complies with said first limit.

Claim 11 (Original): The encoder of claim 10, wherein said first limit is an upper limit

and said first number of bits is not higher than said upper limit.

Claim 12 (Original): The encoder of claim 10, wherein said first limit is lower limit and

said first number of bits is not lower than said lower limit.

Claim 13 (Previously Presented): The encoder of claim 10, wherein said encoder

determines a second limit on a number of bits for compressing said picture, and wherein said first

limit is an upper limit and said second limit is a lower limit, and wherein said first number of bits

is not higher than said upper limit and said first number of bits is not lower than said lower limit.

Page 6 of 18

Claim 14 (Original): The encoder of claim 9, wherein said encoder determines an upper

limit and a lower limit on said first number of bits for compressing said picture, wherein said

first number of bits is not higher than said upper limit and said first number of bits is not lower

than said lower limit.

Claim 15 (Currently Amended): A computer software readable medium encoded with a

computer program including computer executable instructions for use in an encoder for encoding

[[each]] a picture (n) in a sequence of pictures (1 to n), said computer software program

comprising:

code for assigning, by said encoder, a pre-decoder buffer removal time to said picture;

code for constraining, by said encoder, an initial arrival time of said picture into said pre-

decoder buffer by selecting, for said picture, a number of bits, wherein [[the]] said time-

equivalent of said number of bits is no greater than a difference based on said pre-decoder buffer

removal time of said picture and said initial arrival time of said picture into a pre-decoder buffer;

and

code for compressing, by said encoder, said picture to generate said number of bits.

code for transmitting, by said encoder, said picture to said pre-decoder buffer in

compliance with said initial arrival time, being no earlier than a difference between an encoder

processing time of said picture and an encoder processing time of a previous picture wherein

said initial arrival time of said picture into said pre-decoder buffer is in accordance with:

$$\underline{t_{ai}(n) = \max\{\ t_{af}(n-1),\ t_{c} \times \sum_{i=1}^{n} \ pre\ dec\ removal\ delay(n)\},}$$

where $t_{ai}(n)$ is said initial arrival time of said picture into said pre-decoder buffer, $t_{ai}(n-1)$ is a final arrival time of a previous picture (n-1) into said pre-decoder buffer, t_c is a clock tick, and $\sum_{i=1}^{n} pre \ dec \ removal \ delay(n)$ is a sum of removal delays of said sequence of pictures (1 to

<u>n).</u>

Claim 16 (Currently Amended): The computer readable medium software of claim 15, wherein the computer program software further comprising:

code for allocating a first number of bits for compressing said picture and one or more number of bits for compressing one or more future pictures, wherein said future pictures are in said pre-decoder buffer at said pre-decoder buffer removal time of said picture;

code for determining, based on said numbers of bits, which of said future pictures will be in said pre-decoder buffer at said pre-decoder buffer removal time of said picture;

code for changing said first number of bits for compressing said picture to allocate a final number of bits for compressing said picture if needed to prevent pre-decoder buffer overflow or underflow; and

code for compressing said picture using said final number of bits.

Claim 17 (Currently Amended): The computer readable medium software of claim 15, wherein the computer program software further comprising:

code for determining a first limit on a number of bits for compressing said picture and one or more number of bits for compressing one or more future pictures, wherein said future pictures are in said pre-decoder buffer at said pre-decoder buffer removal time of [[current]] said

② 014/023

Altorney Docket No.: 02CON382P-CIP Application Serial No.: 10/655,698

picture; and

code for compressing said picture using a first number of bits, wherein said first number

of bits complies with said first limit.

Claim 18 (Currently Amended): The computer readable medium software of claim 17,

wherein said first limit is an upper limit and said first number of bits is not higher than said upper

limit.

Claim 19 (Currently Amended): The computer readable medium software of claim 17,

wherein said first limit is lower limit and said first number of bits is not lower than said lower

limit.

Claim 20 (Currently Amended): The computer readable medium software of claim 17,

wherein the computer program software further comprising:

code for determining a second limit on a number of bits for compressing said picture;

wherein said first limit is an upper limit and said second limit is a lower limit, and

wherein said first number of bits is not higher than said upper limit and said first number of bits

is not lower than said lower limit.

Claim 21 (Currently Amended): The computer readable medium software of claim 16,

wherein the computer program software further comprising:

code for determining an upper limit and a lower limit on said first number of bits for

Page 9 of 18

Attorney Docket No.: 02CON382P-CIP

Application Serial No.: 10/655,698

compressing said picture, wherein said first number of bits is not higher than said upper limit and

said first number of bits is not lower than said lower limit.

Claim 22 (New): The method of claim 1, wherein said initial arrival time of said picture

into said pre-decoder buffer is no earlier than a difference between an encoder processing time of

said picture and an encoder processing time of said previous picture.

Claim 23 (New): The encoder of claim 8, wherein said initial arrival time of said picture

into said pre-decoder buffer is no earlier than a difference between an encoder processing time of

said picture and an encoder processing time of said previous picture.

Claim 24 (New): The computer readable medium of claim 15, wherein said initial arrival

time of said picture into said pre-decoder buffer is no earlier than a difference between an

encoder processing time of said picture and an encoder processing time of said previous picture.

Claim 25 (New): A method of encoding each picture in a sequence of pictures using an

encoder, said method comprising the steps of:

assigning, by said encoder, a pre-decoder buffer removal time to said picture;

constraining, by said encoder, an initial arrival time of said picture into said pre-decoder

buffer by selecting, for said picture, a number of bits, wherein said time-equivalent of said

number of bits is no greater than a difference based on said pre-decoder buffer removal time of

said picture and said initial arrival time of said picture into a pre-decoder buffer;

Page 10 of 18

Ø 016/023

Attorney Docket No.: 02CON382P-CIP Application Serial No.: 10/655,698

compressing, by said encoder, said picture to generate said number of bits;

transmitting, by said encoder, said picture to said pre-decoder buffer in compliance with said initial arrival time;

allocating a first number of bits for compressing said picture and one or more number of bits for compressing one or more future pictures, wherein said future pictures are in said predecoder buffer at said pre-decoder buffer removal time of said picture;

determining, based on said numbers of bits in said allocating step, which of said future pictures will be in said pre-decoder buffer at said pre-decoder buffer removal time of said picture;

changing said first number of bits for compressing said picture to allocate a final number of bits for compressing said picture if said changing is needed to prevent pre-decoder buffer overflow or underflow; and

compressing said picture using said final number of bits.

Claim 26 (New): The method of claim 25 further comprising the step of:

determining an upper limit and a lower limit on said first number of bits for compressing said picture, wherein said first number of bits is not higher than said upper limit and said first number of bits is not lower than said lower limit.

Claim 27 (New): An encoder for encoding a picture in a sequence of pictures, said encoder comprising:

a compressor configured to compress said picture to generate a number of bits;

② 017/023

Attorney Docket No.: 02CON382P-CIP

Application Serial No.: 10/655,698

wherein said encoder is configured to assign a pre-decoder buffer removal time to said

picture;

wherein said encoder is further configured to constrain an initial arrival time of said

picture into said pre-decoder buffer by selecting, for said picture, said number of bits, wherein

said time-equivalent of said number of bits is no greater than a difference based on said pre-

decoder buffer removal time of said picture and said initial arrival time of said picture into a pre-

decoder buffer;

a transmitter configured to transmit said picture to said pre-decoder buffer in compliance

with said initial arrival time;

wherein said encoder allocates a first number of bits for compressing said picture and one

or more number of bits for compressing one or more future pictures, wherein said future pictures

are in said pre-decoder buffer at said pre-decoder buffer removal time of said picture;

wherein said encoder determines, based on said numbers of bits, which of said future

pictures will be in said pre-decoder buffer at said pre-decoder buffer removal time of said

picture;

wherein said encoder changes said first number of bits for compressing said picture to

allocate a final number of bits for compressing said picture if needed to prevent pre-decoder

buffer overflow or underflow; and

wherein said compressor compresses said picture using said final number of bits.

Claim 28 (New): The encoder of claim 27, wherein said encoder determines an upper

limit and a lower limit on said first number of bits for compressing said picture, wherein said

Page 12 of 18

first number of bits is not higher than said upper limit and said first number of bits is not lower than said lower limit.

Claim 29 (New): A computer software in an encoder for encoding each picture in a sequence of pictures, said computer software comprising:

code for assigning, by said encoder, a pre-decoder buffer removal time to said picture;

code for constraining, by said encoder, an initial arrival time of said picture into said predecoder buffer by selecting, for said picture, a number of bits, wherein said time-equivalent of said number of bits is no greater than a difference based on said pre-decoder buffer removal time of said picture and said initial arrival time of said picture into a pre-decoder buffer;

code for compressing, by said encoder, said picture to generate said number of bits.

code for transmitting, by said encoder, said picture to said pre-decoder buffer in compliance with said initial arrival time;

code for allocating a first number of bits for compressing said picture and one or more number of bits for compressing one or more future pictures, wherein said future pictures are in said pre-decoder buffer at said pre-decoder buffer removal time of said picture;

code for determining, based on said numbers of bits, which of said future pictures will be in said pre-decoder buffer at said pre-decoder buffer removal time of said picture;

code for changing said first number of bits for compressing said picture to allocate a final number of bits for compressing said picture if needed to prevent pre-decoder buffer overflow or underflow; and

code for compressing said picture using said final number of bits.

07/30/2008 WED 16:18 FAX 949 282 1002 FARJAMI & FARJAMI LLP →→→ USPTO

Attorney Docket No.: 02CON382P-CIP

Application Serial No.: 10/655,698

Claim 30 (New): The computer software of claim 29, wherein the computer software

further comprising:

code for determining an upper limit and a lower limit on said first number of bits for

compressing said picture, wherein said first number of bits is not higher than said upper limit and

said first number of bits is not lower than said lower limit.